Glossary

Acronyms and Abbreviations

A ACEHS Alameda County Environmental Health Services.

ACG Ambient concentration guide.

ACMT Analytical Contract Management Team.

ACOE Army Corps of Engineers.

ALARA As low as reasonably achievable.

ANOVA Analysis of variance (see Technical Terms).

ANSI American National Standards Institute.

ASME American Society of Mechanical Engineers.

AST Aboveground storage tank.

ATA Advanced Test Accelerator.

AWQC Ambient water quality criteria.

B BAAQMD Bay Area Air Quality Management District. The local agency responsible

for regulating stationary air emission sources (including the Livermore site)

in the San Francisco Bay Area.

BAT Best available technology.

BETX (or BTEX) Benzene, ethyl benzene, toluene, and xylene.

BMP Best management practice.

Bq Becquerel (see Technical Terms).

C Cal/EPA California Environmental Protection Agency.

CAM Continuous air monitor.

CAP88-PC Computer code required by the EPA for modeling air emissions of

radionuclides.

CARES (Tri-Valley) Citizens Against a Radioactive Environment.

CCR California Code of Regulations. Codification of regulations promulgated

by the State of California.

CDFG California Department of Fish and Game.

CEPRC Chemical Emergency Planning and Response Commission.

CEQA California Environmental Quality Act of 1970. CEQA requires that all

California state, local, and regional agencies document, consider, and disclose to the public the environmental implications of their actions.

CERCLA/SARA Comprehensive Environmental Response, Compensation and Liability Act

of 1980. Administered by EPA, this program, also known as Superfund, requires private parties to notify the EPA after the release of hazardous substances and undertake short-term removal and long-term remediation. If conditions exist that could create the threat of hazardous substances being released, the Act also requires the remediation of those conditions. In 1986, the Superfund Amendments and Reauthorization Act (SARA) was enacted, which amended and reauthorized CERCLA for five years at a total

funding level of \$8.5 billion.

CES Chemistry and Materials Science Environmental Services. An LLNL

laboratory that analyzes environmental samples.

CFC Chlorofluorocarbon (see Technical Terms).

CFF Contained Firing Facility.

CFR Code of Federal Regulations. A codification of all regulations promulgated

by federal government agencies.

ChemTrack Computerized chemical inventory and tracking system.

CHP California Highway Patrol.

Ci Curie (see Technical Terms).

COC Constituent of concern.

CRMP Cultural Resource Management Plan.

CRWQCB California Regional Water Quality Control Board.

CVRWQCB Central Valley Regional Water Quality Control Board.

CWG Community Work Group.

D DCG Derived Concentration Guide (see Technical Terms).

DEHP Bis(2-ethylhexyl)phthalate.

DfE Design for Environment.

DEP Diethylphthalate.

DLM Designated level methodology.

DoD U.S. Department of Defense.

DOE U.S. Department of Energy. The federal agency that is responsible for

conducting energy research and regulating nuclear materials used for

weapons production.

DOT U.S. Department of Transportation.

DRB Drainage Retention Basin. Man-made, lined pond used to capture storm

water runoff and treated water at the Livermore site.

DTSC California Environmental Protection Agency, Department of Toxic

Substances Control.

DWTF Decontamination and Waste Treatment Facility.

E EA Environmental Assessment. An environmental review document that

identifies environmental impacts from any federally approved or funded

project. If an EA shows significant impact, an EIS is required.

EDE Effective dose equivalent (see Technical Terms).

EDO Environmental Duty Officer.

EEA Environmental and Exposure Assessment.

EE/CA Engineering evaluation/cost analysis.

EFA East Firing Area (LLNL Site 300).

EIR Environmental Impact Report. A detailed report prepared pursuant to

CEQA on the environmental impacts from any action carried out, approved, or funded by a California state, regional, or local agency.

EIS Environmental Impact Statement. A detailed report, required by the

National Environmental Policy Act, on the environmental impacts from a federally approved or funded project. An EIS must be prepared by a federal agency when a "major" federal action that will have "significant"

environmental impacts is planned.

EML U.S. Department of Energy Environmental Measurements Laboratory.

EMRL Environmental Monitoring Radiation Laboratory.

EMSL Environmental Monitoring Systems Laboratory.

EO Executive Order.

EOG Environmental Operations Group.

EPA U.S. Environmental Protection Agency. The federal agency responsible for

enforcing federal environmental laws. Although some of this responsibility

may be delegated to state and local regulatory agencies, EPA retains oversight authority to ensure protection of human health and the

environment.

EPCRA Emergency Planning and Community Right-to-Know Act of 1986. EPCRA

requires facilities that produce, use, or store hazardous substances to report

releases of reportable quantities or hazardous substances to the

environment.

EPD Environmental Protection Department (LLNL).

EPL Effluent pollutant level.

ERD Environmental Restoration Division of the Environmental Protection

Department at LLNL.

ES&H Environmental, Safety, and Health.

EST Environmental Support Team.

EWTF Explosives Waste Treatment Facility.

F FFA Federal facility agreement. A negotiated agreement that specifies required

actions at a federal facility as agreed upon by various agencies (e.g., EPA,

RWQCB, and DOE).

FHC Fuel hydrocarbon.

FONSI Finding of no significant impact.

Freon 113 1,1,2-trichloro-1,2,2-trifluoroethane.

G Gram. The standard metric measure of weight approximately equal to

0.035 ounce.

GAC Granulated activated carbon.

GBq Gigabecquerel. 1×10^9 Becquerel.

GFI Ground fault interrupt.

GSA General Services Area (LLNL Site 300).

GWP Ground Water Project.

GWPMP Ground Water Project Management Program.

GWTF Ground water treatment facility.

	Gy	Gray. The SI unit of measure for absorbed dose. It is the quantity of energy imparted by ionizing radiation to a unit mass of matter such as tissue. One gray corresponds to 1 joule per kilogram and equals 100 rads.
Н	HCAL	Hazards Control Department Analytical Laboratory.
	HCD	Hazards Control Department.
	HDPE	High density polyethylene.
	HE	High explosives. Materials that release large amounts of chemical energy when detonated.
	HEPA	High-efficiency particulate air (filter).
	HMX	Cyclotetramethyltetramine, a high-explosive compound. Also referred to as octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.
	HPGe	High-purity germanium.
	HSD	(Tukey-Kramer) honestly significant difference (test).
	HSU	Hydrostratigraphic unit.
	HT	Tritiated hydrogen gas. Tritium is the hydrogen isotope with one proton and two neutrons in the nucleus. It emits a low-energy beta particle and has a half-life of 12.3 years.
	НТО	Tritiated water and water vapor (see HT).
	HWCA	California Hazardous Waste Control Act. This legislation specifies requirements for the management of hazardous wastes in California.
	HWM	Hazardous Waste Management Division of the Environmental Protection Department at LLNL.
I	ICRP	International Commission on Radiological Protection. An international organization that studies radiation, including its measurement and effects.
	IQR	Interquartile range (see Technical Terms).

ISD Interim status document.

ISMS Integrated safety management system.

ISO International Standards Organization.

L LBNL Lawrence Berkeley National Laboratory.

LCRS Leachate collection and removal system.

LEPC Local Emergency Planning Committee.

LLNL Lawrence Livermore National Laboratory.

LOC Letter of concern.

LOS Limit of sensitivity (detectability).

LUFT Leaking underground fuel tank.

LWRP Livermore Water Reclamation Plant. The City of Livermore's municipal

wastewater treatment plant, which accepts discharges from the LLNL

Livermore site.

M MAL Management action level.

MCL Maximum contaminant level in drinking water established by EPA or

DTSC.

MDC Minimum detectable concentration.

MDL Minimum detection limit.

MEI Maximally exposed individual member of the public.

ML Megaliter. 10⁶ liters.

mL Milliliter. 10^{-3} liter = 1 cm³.

MOLE Miniature Optical Lair Explorer.

Glossary

mR Milliroentgen. 10⁻³ roentgen.

mrem Millirem. 10^{-3} rem.

MSDS Material Safety Data Sheet.

mSv Millisievert. 10⁻³ sievert.

N NBZ North Buffer Zone (Livermore site).

NCR Nonconformance Report.

NCRP National Council on Radiation Protection.

NEPA National Environmental Policy Act. This federal legislation, enacted in

 $1969, \, requires$ all federal agencies to document and consider environmental impacts from federally funded or approved projects. DOE is responsible

for NEPA compliance at LLNL.

NESHAPs National Emission Standards for Hazardous Air Pollutants. These

standards are found in the Clean Air Act and set limits for hazardous air

pollutants.

NHPA National Historical Preservation Act.

NIF National Ignition Facility.

NIST National Institute for Standards and Technology. The federal agency,

formerly known as the National Bureau of Standards, responsible for reference materials against which laboratory materials are calibrated.

NOI Notice of intent.

NOV Notice of violation.

NPDES National Pollutant Discharge Elimination System. This federal regulation,

under the Clean Water Act, requires permits for discharges into surface

waterways.

	NRC	Nuclear Regulatory Commission. The federal agency charged with oversight of nuclear power and nuclear machinery and applications not regulated by DOE or the Department of Defense.
O	ORAD	Operations and Regulatory Affairs Division of the Environmental Protection Department at LLNL.
	OSHA	Occupational Safety and Health Act.
	OSP	Operational Safety Procedure.
P	P2	Pollution Prevention.
	PCB	Polychlorinated biphenyl.
	PCE	Tetrachloroethylene (or perchloroethylene).
	pCi	Picocurie 1×10^{-12} Ci.
	PeerRP	Peer Review Panel.
	PEIS	Programmatic Environmental Impact Statement.
	PM	Performance measure.
	%RSD	Percent relative standard deviation, a measure of precision.
	ppb	Parts per billion. A unit of measure for the concentration of a substance in its surrounding medium. For example, one billion grams of water containing one gram of salt has a salt concentration of one part per billion.
	PPG	Pollution Prevention Group of Environmental Protection Department at LLNL.
	ppm	Parts per million. A unit of measure for the concentration of a substance in its surrounding medium. For example, one million grams of water containing one gram of salt has a salt concentration of one part per million.
	PPOA	Pollution Prevention Opportunity Assessment.
	PRG	Preliminary remediation goal.

Glossary

PTU Portable treatment unit.

Q QA Quality assurance.

QC Quality control.

R Roentgen, (see Technical Terms).

RAIP Remedial Action Implementation Plan.

RCRA Resource Conservation and Recovery Act of 1976. RCRA is a program of

federal laws and regulations that govern the management of hazardous wastes. RCRA is applicable to all entities that manage hazardous wastes.

RDX Hexahydro-1,3,5-trinitro-1,3,5-triazine, a high-explosive compound.

RL Reporting limit.

RML Radiological Measurements Laboratory.

RMMA Radioactive Materials Management Area.

ROD Record of Decision.

ROI Return on investment.

RWQCB Regional Water Quality Control Board. The California regional agency

responsible for water quality standards and the enforcement of state water quality laws within its jurisdiction. California is divided into a number of RWQCBs; the Livermore site is regulated by the San Francisco Bay Region,

and Site 300 is regulated by the Central Valley Region.

SARA Superfund Amendment and Reauthorization Act of 1986 (see

CERCLA/SARA).

SDWA Safe Drinking Water Act.

SERC State Emergency Response Commission.

SI Système International d'Unités. An international system of physical units.

Units of measure in this system include meters (length), kilogram (mass), kelvin (temperature), becquerel (radioactivity), gray (radioactive dose), and

sievert (dose equivalent).

Site 300 LLNL's Experimental Test Site, located approximately 24 km east of the

Livermore site.

SJCHD San Joaquin County Health District. The local agency that enforces

underground-tank regulations in San Joaquin County, including Site 300.

SJCPHS San Joaquin County Public Health Services.

SJVUAPCD San Joaquin Valley Unified Air Pollution Control District. The local agency

responsible for regulating stationary air emission sources (including Site

300) in San Joaquin County.

SL Statistical limit.

SMCL Secondary maximum contaminant level.

SNL/California Sandia National Laboratories, California.

SOP Standard operating procedure.

SPCC Spill Prevention Control and Countermeasures (Plans).

SSM Stockpile Stewardship and Management.

STAR Sample tracking and receiving (computer system).

STLC Soluble threshold limit concentration. A value that can be used to

determine if a waste is hazardous.

STP Site Treatment Plan.

SVE Soil vapor extraction.

SW-MEI Sitewide maximally exposed individual member of the public.

SWPPP Storm Water Pollution Prevention Plan.

SWRCB California State Water Resources Control Board.

TBOS Tetrabutyl orthosilicate.

TBq Terabecquerel. 1×10^{12} Becquerel.

TCE Trichloroethylene.

TCLP Toxicity Characteristic Leaching Procedure.

TDS Total dissolved solids. The portion of solid material in a waste stream that

is dissolved and passed through a filter.

THM Trihalomethane.

TLD Thermoluminescent dosimeter. A device used to measure external beta or

gamma radiation levels. TLDs contain a material that after exposure to beta

or gamma radiation emits light when processed and heated.

TNT Trinitrotoluene.

TOC Total organic carbon. The sum of the organic material present in a sample.

TOX Total organic halides. The sum of the organic halides present in a sample.

TRI Toxic Chemical Release Inventory.

TRU Transuranic waste.

TSDF Treatment, storage, and disposal facility.

TSS Total suspended solids.

TTLC Total threshold limit concentration. A value that can be used to determine

if a waste is hazardous.

TWMS Total Waste Management System.

U UC University of California.

USEPA U.S. Environmental Protection Agency.

UST Underground storage tank.

VOC Volatile organic compound. Liquid or solid organic compounds that have

a high vapor pressure at normal pressures and temperatures and thus tend

to spontaneously pass into the vapor state.

VPP Voluntary Protection Program.

W WAA Waste accumulation area. An officially designated area that meets current

environmental standards and guidelines for temporary (less than 90 days)

storage of hazardous waste before pickup by the Hazardous Waste

Management Division for off-site disposal.

WDR Waste Discharge Requirements. Issued by the California Regional Water

Quality Control Board.

WFA West Firing Area (LLNL Site 300).

WQO Water quality objective.

WSS Work Smart Standards.

WTF Working Task Force.

Technical Terms

A Absorbed dose The amount of energy deposited by radiation in a given amount of

material. The units of absorbed dose are the rad or gray.

Accuracy The closeness of the result of a measurement to the true value of the

quantity measured.

Action Level Defined by regulatory agencies, it is the level of pollutants which, if

exceeded, requires regulatory action.

Aerosol A gaseous suspension of very small particles of liquid or solid.

Alluvium Sediment deposited by flowing water.

Alpha particle	A positively charged particle emitted from the nucleus of an atom. It has a mass and charge equal to those of a helium nucleus (two protons and two neutrons).
Ambient air	The surrounding atmosphere, usually the outside air, as it exists around people, plants, and structures. It is not considered to include the air immediately adjacent to emission sources.
Analyte	A constituent that is being analyzed.
Anion	A negatively charged ion, for example Cl ⁻ .
ANOVA	Analysis of variance. A test of whether two or more sample means are statistically different.
Aquifer	A saturated layer of rock or soil below the ground surface that can supply usable quantities of ground water to wells and springs. Aquifers can be a source of water for domestic, agricultural, and industrial uses.
Aquitard	Low permeability bed that bounds an aquifer.
Atom	The smallest particle of an element capable of entering into a chemical reaction.
Atomic absorption spectroscopy	Abbreviated AA. A method used to determine the elemental composition of a sample. In this method, the sample is vaporized and its light absorbance measured.
Barcad	Device that samples water in a well. Water, collected in a discrete water bearing zone, is forced to the surface by pressurized nitrogen.
Bq	Becquerel. The SI unit of activity of a radionuclide, equal to the activity of a radionuclide having one spontaneous nuclear transition per second.
Beta particle	A negatively charged particle emitted from the nucleus of an atom. It has a mass and charge equal to those of an electron.
Biochemical (biological) oxygen demand	A measure of the amount of dissolved oxygen that microorganisms need to break down organic matter in water. It is used as an indicator of water quality.

В

C	Categorical	Discharge from a process regulated by EPA rules for specific industrial
	discharge	categories.
	CFC	Chlorofluorocarbon. A compound that has fluorine and chlorine atoms on a carbon backbone. Freons are common CFCs.
	Chain-of-custody	A method for documenting the history and possession of a sample from the time of its collection, through its analysis and data reporting, to its final disposition.
	Chlorocarbon	A compound of carbon and chlorine, or carbon, hydrogen, and chlorine, such as carbon tetrachloride, chloroform, and tetrachloroethylene.
	Curie	A unit of measurement of radioactivity, defined as the amount of radioactive material in which the decay rate is 2.22×10^{12} disintegrations per minute (3.7 \times 10 ¹⁰ disintegrations per second). One Ci is approximately equal to the decay rate of one gram of pure radium.
	Collective dose equivalent	The sums of the dose equivalents of all individuals in an exposed population within a certain radius, expressed in units of person-rem (or person-sievert).
	Collective effective dose equivalent	The sums of the effective dose equivalents of all individuals in an exposed population within a certain radius, expressed in units of personrem (or person-sievert).
	Committed dose equivalent	The predicted total dose equivalent to a tissue or organ over a 50-year period after known intake of a radionuclide into the body. It does not include contributions from external dose. Committed dose equivalent is expressed in units of sievert (or rem).
	Committed effective dose equivalent	The sum of the committed dose equivalents to various tissues, each multiplied by the appropriate weighting factor. Committed effective dose equivalent is expressed in units of sievert (or rem).
	Cosmic radiation	Radiation with very high energies, originating outside the earth's atmosphere. Cosmic radiation is one source contributing to natural background radiation.
D	Daughter nuclide	A nuclide formed by the radioactive decay of another nuclide, which is called the parent.

Depleted uranium Uranium having less ²³⁵U than is found in natural uranium. **DCG** Derived Concentration Guide. Concentrations of radionuclides in water and air that could be continuously consumed or inhaled (365 days/y) and not exceed the DOE primary radiation protection standard to the public (100 mrem/y effective dose equivalent). Dose The energy imparted to matter by ionizing radiation. The unit of absorbed dose is the rad, equal to 0.01 joules per kilogram for irradiated material in any medium. Dose commitment The dose which an organ or tissue would receive during a specified period of time (e.g., 50 or 70 years) as a result of 1 year's intake of one or more radionuclides. Dose equivalent The product of the absorbed dose (rad) in tissue and a quality factor. Dose equivalent is expressed in units of rem (or sievert). The dose equivalent to an organ, tissue, or whole body in a year will be that received from the direct exposure plus the committed dose equivalent received from radionuclides taken into the body during the year. Dosimeter A portable detection device for measuring the total accumulated exposure to ionizing radiation. Dosimetry The theory and application of the principles and techniques involved in the measurement and recording of radiation doses. Its practical aspect is concerned with the use of various types of radiation measurement instruments. Downgradient In the direction of ground water flow from a designated area; analogous to downstream. **EDE** Effective dose equivalent. An estimate of the total risk of potential effects from radiation exposure. It is the sum of the committed effective dose equivalent from internal deposition and the effective dose equivalent from external penetrating radiation received during a calendar year. The committed effective dose equivalent is the sum of the individual organ committed dose equivalents multiplied by weighting factors that repre-

sent the proportion of the total random risk that each organ would

receive from uniform irradiation of the whole body.

E

Effluent A liquid or gaseous waste discharged to the environment. Evapotranspiration Process by which water is transferred from the soil to the air by plants that take the water up through their roots and give it off through their leaves and other aboveground tissue. F Federal facility A facility that is owned or operated by the federal government. Federal facilities are subject to the same requirements as other responsible parties once placed on the Superfund National Priorities List. Federal Register A document published daily by the federal government containing notification of government agency actions. The Federal Register contains notification of EPA and DOE actions, including notification of EPA and DOE decisions concerning permit applications and rule-making. G Gamma ray High-energy, short-wavelength electromagnetic radiation emitted from the nucleus of an atom. Gamma radiation frequently accompanies the emission of alpha or beta particles. Ground water All subsurface water. Η Half-life The time required for one-half the radioactive atoms in a given amount (radiological) of material to decay. After 1 half-life, 50 out of 100 atoms (on average) will have decayed; during the next half-life, 25 more will decay, and so on, exponentially. Hazardous waste Wastes exhibiting any of the following characteristics: ignitability, corrosivity, reactivity, or EP-toxicity (yielding toxic constituents in a leaching test). In addition, EPA has listed as hazardous other wastes that do not necessarily exhibit these characteristics. Although the legal definition of hazardous waste is complex, the term more generally refers to any waste that EPA believes could pose a threat to human health and the environment if managed improperly. Hydraulic gradient In an aquifer, the rate of change of total head (water-level elevation) per unit distance of flow at a given point and in a given direction. Hydrology The science dealing with the properties, distribution, and circulation of natural water systems.

I	Inorganic compounds	Compounds that either do not contain carbon or do not contain hydrogen along with carbon. Inorganic compounds include metals, salts, and various carbon oxides (carbon monoxide, carbon dioxide).
	In situ	A term that can be used to refer to the treatment of contaminated areas in place, i.e., without excavation or other removal, as in the in situ treatment of soils through biodegradation of contaminants on site.
	Interim status	A legal classification that applies to hazardous waste incinerators or other hazardous waste management facilities that were under construction or in operation by November 19, 1980, and can meet other interim status requirements. Interim status facilities may operate while EPA considers their permit application.
	IQR	Interquartile range. The distance between the top of the lower quartile and the bottom of the upper quartile. The IQR provides a measure of the spread of data.
	Isotopes	Forms of an element having the same number of protons in their nuclei but differing numbers of neutrons.
L	Liter	The SI measure of capacity approximately equal to 1.057 quart.
	Less than detection limits	A phrase indicating that a chemical constituent was either not identified or not quantified at the lowest level of sensitivity of the analytical method being employed by the laboratory. Therefore, the chemical constituent either is not present in the sample, or it is present in such a small concentration that it cannot be measured by the analytical procedure.
	Low-level waste	Waste defined by DOE Order 5820.2A. Low-level waste contains transuranic nuclide concentrations less than 100 nCi/g.
	Lower limit of detection	The smallest concentration or amount of analyte that can be detected in a sample at a 95% confidence level.
	Lysimeter	An instrument for measuring the water percolating through soils and determining the dissolved materials.
M	Mixed waste	Waste that has the properties of both hazardous and radioactive waste.

N	Nonpoint source	Any nonconfined area from which pollutants are discharged into a body of water (e.g., agricultural runoff, construction runoff, and parking-lot drainage), or into air (e.g., a pile of uranium tailings).
	Nuclide	A species of atom characterized by the constitution of its nucleus. The nuclear constitution is specified by the number of protons, number of neutrons, and energy content; or, alternatively, by the atomic number, mass number, and atomic mass. To be regarded as a distinct nuclide, the atom must be capable of existing for a measurable length of time.
О	Off site	Outside the boundaries of the LLNL Livermore site and Site 300 properties.
	On site	Within the boundaries of the LLNL Livermore site or Site 300 properties.
P	Part B permit	The second, narrative section submitted by generators in the RCRA permitting process. It covers in detail the procedures followed at a facility to protect human health and the environment.
	Perched aquifer	Aquifer that is separated from another water-bearing stratum by an impermeable layer.
	Performance standards (incinerators)	Specific regulatory requirements established by EPA limiting the concentrations of designated organic compounds, particulate matter, and hydrogen chloride in incinerator emissions.
	Piezometer	Instrument for measuring fluid pressure. Generally used to measure the elevation of the water table in a small, nonpumping well.
	Pliocene	Geological epoch of the Tertiary period, starting about 12 million years ago.
	рН	A measure of hydrogen-ion concentration in an aqueous solution. Acidic solutions have a pH from 0 to 6, basic solutions have a pH greater than 7, and neutral solutions have a pH of 7.
	Point source	Any confined and discrete conveyance (e.g., pipe, ditch, well, or stack).
	Pretreatment	Any process used to reduce a pollutant load before it enters the sewer system.

	Pretreatment regulations	National wastewater pretreatment regulations, adopted by EPA in compliance with the 1977 amendments to the Clean Water Act, which required that EPA establish pretreatment standards for existing and new industrial sources.
	Priority pollutants	A set of organic and inorganic chemicals identified by EPA as indicators of environmental contamination.
Q	QA	Quality assurance. A system of activities whose purpose is to provide the producer or user of a product or service the assurance that it meets defined standards of quality with a stated level of confidence.
	QC	Quality control. Procedures used to verify that prescribed standards of performance are attained.
	Quality factor	The factor by which the absorbed dose (rad) is multiplied to obtain a quantity that expresses, on a common scale for all ionizing radiation, the biological damage to exposed persons. It is used because some types of radiation, such as alpha particles, are more biologically damaging than others.
	Quaternary	The geologic era encompassing the last 2–3 million years.
R	Rad	The unit of absorbed dose. It is the quantity of energy imparted by ionizing radiation to a unit mass of matter such as tissue. One rad equals 0.01 joule per kilogram.
	Radioactive decay	The spontaneous transformation of one radionuclide into a different radioactive or nonradioactive nuclide, or into a different energy state of the same radionuclide.
	Radioactivity	The spontaneous emission of radiation, generally alpha or beta particles, or gamma rays, from the nucleus of an unstable isotope.
	Radionuclide	An unstable nuclide. See nuclide and radioactivity.
	Rem	A unit of radiation dose equivalent. The product of the absorbed dose (rad), quality factor (Q), distribution factor, and other necessary modifying factors. It describes the effectiveness of a type of radiation to produce biological effects (1 rem = 0.01 sievert).

	Risk assessment	The use of established methods to measure the risks posed by an activity such as hazardous waste treatment. Risk assessments evaluate (1) the relationship between exposure to toxic substances and the subsequent occurrence of health effects and (2) the potential for that exposure.
	Roentgen	Unit of measurement used to express radiation exposure in terms of the amount of ionization produced in a volume of air.
S	Sampling and Analysis Plan	A detailed document describing the procedures used to collect, handle, and analyze ground water samples. The plan details quality control measures that will be implemented to ensure that sample-collection, analysis, and data-presentation activities meet the prescribed requirements.
	Sanitary waste	Most simply, waste generated by routine operations that is not regulated as hazardous or radioactive by state or federal agencies.
	Saturated zone	A subsurface zone below which all rock pore-space is filled with water; also called the phreatic zone.
	Sensitivity	The capability of methodology or instrumentation to discriminate between samples having differing concentrations or containing varying amounts of analyte.
	Sewerage	The system of sewers.
	Sievert (Sv)	A unit of radiation dose equivalent and effective dose equivalent. It describes the ability of a type of radiation to produce biological effects. A sievert is the SI unit that corresponds to the rem; $1 \text{ Sv} = 100 \text{ rem}$.
	Specific conductance	Measure of the ability of a material to conduct electricity. Also called conductivity.
	Superfund	The common name used for the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA). California

has also established a "State Superfund" under provisions of the

California Hazardous Waste Control Act.

	Surface impoundment	A facility or part of a facility that is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials, although it may be lined with man-made materials. The impoundment is designed to hold an accumulation of liquid wastes, or wastes containing free liquids, and is not an injection well. Examples of surface impoundments are holding, storage, settling and aeration pits, ponds, and lagoons.
T	Tritium	Tritium is the hydrogen isotope with one proton and two neutrons in the nucleus. It emits a low-energy beta particle and has a half-life of 12.3 years.
	Transuranic waste	Material contaminated with alpha-emitting transuranium nuclides, which have an atomic number greater than 92 (e.g. 239 Pu), half-lives longer than 20 years, and are present in concentrations greater than 100 nCi/g of waste.
U	Unsaturated zone	That portion of the subsurface in which the pores are only partially filled with water. The direction of water flow is vertical in this zone; which is also referred to as the vadose zone.
V	Vadose zone	The partially saturated or unsaturated region above the water table that does not yield water to wells.
W	Wastewater treatment system	A collection of treatment processes and facilities designed and built to reduce the amount of suspended solids, bacteria, oxygen-demanding materials, and chemical constituents in wastewater.
	Water table	The water-level surface below the ground at which the unsaturated zone ends and the saturated zone begins. It is the level to which a well that is screened in the unconfined aquifer would fill with water.
	Weighting factor	A value used to calculate dose equivalents. It is tissue-specific and represents the fraction of the total health risk resulting from uniform, whole-body irradiation that could be contributed to that particular tissue. The weighting factors used in this report are recommended by the ICRP (Publication 26).
	Wind rose	A diagram that shows the frequency and intensity of wind from different directions at a particular place.

Z Zone 7

The common name for the Alameda County Flood Control and Water Conservation District. Zone 7 is the water management agency for the Livermore-Amador Valley with responsibility for water treatment and distribution. Zone 7 is also responsible for management of agricultural and surface water and the ground water basin.